L:\Jobs\IDOT BBS\6956 BBS Various Various\6956.03\CADI

DESIGNED CEH

CHECKED CWC

DRAWN DLH

CHECKED CEH / CWC

SFP-34

9-3-07

11'2" (A)

sheet

End of deck per plans

Const. joint (mandatory)

Plan dimension + $1_2''$ (B)


<u>SECTION</u> (Showing dimensions)

 $\frac{3}{4}$ " \triangle Drip notch full length


Face of parapet (as per superstructure details)

(+2")

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



SECTION
(Showing reinforcement clearances for slip forming and additional reinforcement bars)



GFRP REBAR STIFFENING DETAIL


(Place as shown in parapet section at each parapet joint location.)

* (105BR)BR Contract - 68479

GENERAL NOTES

All dimensions shall remain the same as shown on contract plans, except dimensions A and B which are to be revised as shown to provide additional clearance. Additional concrete needed to revise dimension A and B= 0.0165 cu. yds./ft. of parapet.

Place aluminum sheet in curb portion at and near piers. Full thickness saw cut at all joint locations in lieu of cork joint filler.



#3 (E) BAR

CONCRETE PARAPET SLIPFORMING OPTION

IL ROUTE 17 OVER SENACHWINE CREEK

FAP ROUTE 645 - SECTION (105BR)BR

MARSHALL COUNTY

STATION 334+90.00

STRUCTURE NO. 062-0072